

A Superior Level of Cut Protection

JACKSON SAFETY* G60 PURPLE NITRILE* Cut Resistant Gloves

Some tasks require that industrial workers have protection against hand lacerations. The new and improved JACKSON SAFETY* G60 PURPLE NITRILE* Cut Resistant Gloves provide an even higher level of cut resistance while enhancing dexterity and comfort. The gloves are ambidextrous, breathable, and feature a flexible, nitrile dotted palm for better grip.

NEW
& Improved!



JACKSON*
SAFETY Brand



Wear it for Protection. Want it for Comfort.

Typical Uses

- Metal fabrication
- Glass handling
- Handling sharp parts
- Automotive assembly



JACKSON SAFETY® G60 PURPLE NITRILE™ Cut Resistant Gloves

Stock Code	Color	Size	Case Count
97430	White & Black	7 (S)	12 pairs/bag • 5 bags/case
97431	White & Black	8 (M)	12 pairs/bag • 5 bags/case
97432	White & Black	9 (L)	12 pairs/bag • 5 bags/case
97433	White & Black	10 (XL)	12 pairs/bag • 5 bags/case
97434	White & Black	11 (XXL)	12 pairs/bag • 5 bags/case

Our Guarantee

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you† for your initial purchase, via FREE product, for up to \$1,000.

For more information on KIMBERLY-CLARK PROFESSIONAL®, visit us online at www.kcprofessional.com, contact your Kimberly-Clark Sales Representative, or call us at 1-888-346-GOKC (4652).

† Guarantee extended to consuming end-user accounts only.

Kimberly-Clark warrants that its products comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers. Except to the extent prohibited by applicable law: 1) **THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE;** 2) K-C is not liable for any kind of special, incidental, or consequential damages; and 3) K-C's liability for breach of contract, tort, or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

† Caution: This product contains Natural Rubber Latex which may cause allergic reactions.

Warning: This product should not be worn by, or exposed to, individuals allergic to Natural Rubber Latex. Safe use of this product on or by Latex sensitive individuals has not been established.

®/* Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. The COLOR PURPLE is a Registered Trademark of KCWW. © 2010 KCWW.

DYNEEMA is a registered trademark of Royal DSM N.V.

K01775 K3679-10-01 01/10

Effective Jan 2010



KIMBERLY-CLARK PROFESSIONAL*
 1400 Holcomb Bridge Road
 Roswell, Georgia
 (800) 851-7538

www.kcprofessional.com

JACKSON SAFETY* G60 PURPLE NITRILE* Cut Resistant Gloves

Product Information

Code	Hem Color	Size	Case Count
97430-01	Gray	7 (S)	12 pairs/case
97431-01	Blue	8 (M)	12 pairs/case
97432-01	Purple	9 (L)	12 pairs/case
97433-01	Black	10 (XL)	12 pairs/case
97434-01	Brown	11 (XXL)	12 pairs/case

Material: Seamless knit Dyneema® shell (UHMWPE), proprietary fiber blend

Design: PURPLE NITRILE* coated fingertips, black dots on palm, color coded hem for sizing



Characteristics	Value	Test Method
Film Uniformity	No tears, holes or delamination	Visual Defect Inspection
Knit Formation	No gaps, tears, loose thread	Visual Defect Inspection

Properties	Test Result	Test Method
Abrasion resistance (palm)	8000 cycles minimum	EN 388 (Level 4)
Cut resistance	5 index minimum	EN 388 (Level 3)
Tear resistance	75 N minimum	EN 388 (Level 4)
Cut resistance	1150 g [†]	ASTM F1790-97 (Level 3)

[†]gram weight shown by ASTM method is mean value

Physical Dimensions

Size	Palm Width (mm) (+/- 5)	Length (mm) (+/- 10)
7	93	220
8	98	230
9	103	240
10	106	250
11	110	260

No Silicone containing raw material or process chemicals are used in the production of this glove.