

# AIRWAVE™ DISPOSABLE RESPIRATORS MODELS 4200 & 4201

MOLDEX®
Ideas that wear well.®

# AIRWAVE DISPOSABLE RESPIRATORS

Breathing is now a breeze

## More air. More wear.

AirWave™ is the next wave in respiratory protection – a revolutionary step forward from today's disposable respirators. Its patent pending wave technology allows easier* breathing for cool comfort, providing the protection you need all day long. Plus, it delivers on the Moldex® commitment – comfortable, durable respirators that increase compliance and decrease costs.

- Exclusive easy-breathing wave design
- Less resistance, better breathability*
- Ideal where unvalved respirators are preferred
- Less cost than valved respirators
- Longer wear means less cost







*Testing conducted at 85 liters per minute in accordance with NIOSH 42 Part 84.180 initial resistance requirements. Resistance will vary with actual use conditions.

Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.

PVC FREE

MOLDEX®
Ideas that wear well.

## Order Form:

| Model # | Size | Description | Display | Case | MSRP Per Mask | Your Price Per Mask | Order Quantity |
|---|---|---|---|---|---|---|---|
| 4200 | M/L | AirWave N95 Disposable Respirator | 10 per Box | 8 Boxes | 1.92 | | |
| 4201 | Small | AirWave N95 Disposable Respirator | 10 per Box | 8 Boxes | 1.92 | | |

## Savings Calculator for Valved Users:

| | Current Respirator | Moldex AirWave Respirator | Savings |
|---|---|---|---|
| Mask Model # | | 4201 or 4200 | |
| Price per Mask | | | |

## Savings Calculator for Unvalved Users:

| | Current Respirator | Moldex AirWave Respirator |
|---|---|---|
| Company: _____ | Model # _____ | Model # _____ |
| 1. Average # of respirators per employee per day | _____ | _____ |
| 2. Total # of respirators used per day (#1 x total number of users) | _____ | _____ |
| 3. Total # of respirators used per year (#2 x 260 days) | _____ | _____ |
| 4. Cost per respirator | _____ | _____ |
| 5. Total respirator cost per year (#3 x #4) | **a** _____ | **b** _____ |
| **Total annual savings (#5a – #5b)** | _____ | _____ |

## USE AGAINST

1. Particulate aerosols free of oil.

## DO NOT USE AGAINST

1. Concentrations of contaminants which are unknown, or are immediately dangerous to life or health.
2. Concentrations of particulates which exceed the maximum use concentration or 10 times the OSHA Permissible Exposure Limit, whichever is lower.
3. Gases, vapors, asbestos, paint spray, sandblasting or particulate materials which generate harmful vapors.
4. Oil-based mists.

## RESTRICTIONS

1. This respirator does not supply oxygen and must not be used in atmospheres containing less than 19.5% oxygen.
2. Do not remain in contaminated area if any physical distress occurs, for example breathing difficulty, dizziness or nausea.
3. Leave contaminated area and replace respirator if it is damaged, distorted, a proper fit can not be obtained or breathing becomes difficult.
4. Prior to each use, carefully inspect the entire respirator, including filter media and strap/weld attachment area for tears and damage. Staple or strap/weld attachment perforations do not affect respirator performance.
5. Do not alter, modify, or abuse this respirator.
6. Store unused respirators in box/bag in a clean, dry, non-contaminated area.
7. Dispose of respirator according to your employer's policy and local regulations.
8. Dispose no later than thirty days after first use.
9. Use respirator before the "use by" expiration date printed on box/bag.
10. If used for welding, wear appropriate eye and face protection.

## TECHNICAL SERVICE LINE

For technical assistance, call Moldex Technical Service Department at +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

## WARNINGS TO USER

1. Follow all instructions and warnings on the use of this respirator and wear during all times of exposure. Failure to do so will reduce respirator effectiveness, wearer protection and may result in sickness or death.
2. Before use, the user must first be trained by the employer in proper respirator use, in accordance with applicable safety and health standards, for the contaminant and exposure level in the assigned work area.
3. The particulates and other contaminants which can be dangerous to your health include those which you cannot see, taste, or smell.
4. This product has not been sold with warnings or use instructions for personnel involved in healthcare or related situations, where there may be the possibility of contact with disease or biological hazards. If you are considering such uses, first call the Moldex Technical Service Dept., +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

## LIMITED WARRANTY – IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied. There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of Moldex will be met by products sold. Exclusive Remedies: damages for the breach of this limited warranty are limited to the replacement of such quantity of Moldex products proved to be defectively manufactured. Except as provided above, Moldex shall not be liable or responsible for any loss, damages, or liability, direct, indirect, incidental, special or consequential,arising out of a sale, use or misuse, or the inability to use products by the user.

Moldex-Metric, Inc.
CULVER CITY, CALIFORNIA, U.S.A.
+1 (800) 421-0668

THESE RESPIRATORS ARE APPROVED ONLY IN THE FOLLOWING CONFIGURATIONS:

| TC- | PROTECTION[1] | RESPIRATOR | | CAUTIONS AND LIMITATIONS[2] |
|---|---|---|---|---|
| | | 4200 | 4201 | |
| 84A-5396 | N95 | X | | A B C J M N O P |
| 84A-5397 | N95 | | X | A B C J M N O P |

1. Protection

N95 Particulate Filter (95% filter efficiency level) effective against particulate aerosols free of oil; time use restrictions may apply

2. Cautions and Limitations

A- Not for use in atmospheres containing less than 19.5 percent oxygen.
B- Not for use in atmospheres immediately dangerous to life or health.
C- Do not exceed maximum use concentrations established by regulatory standards.
J- Failure to properly use and maintain this product could result in injury or death.
M- All approved respirators shall be selected, fitted, used, and maintained in accordance with MSHA, OSHA, and other applicable regulations.
N- Never substitute, modify, add, or omit parts. Use only exact replacement parts in the configurations as specified by the manufacturer.
O- Refer to user's instructions, and/or maintenance manuals for information on use and maintenance of these respirators.
P- NIOSH does not evaluate respirators as surgical masks.

Moldex, Ideas that wear well, Dura-Mesh and the PVC-Free logo are registered trademarks. Patents Pending. FlexFit, AirWave the waved design and the mesh design are trademarks of Moldex-Metric, Inc.
©2011 Moldex-Metric, Inc. 4200-807 REV A 09/11

## DISTRIBUTED BY:

**Made in U.S.A.**

**NIOSH Approved**

Printed on Recycled Paper

ISO 9001:2008 MOLDEX REGISTERED

Certified Product Australian Standard AS 1716 Lic 0876 SAI Global

PVC FREE

**MOLDEX-METRIC, INC.**
10111 W. Jefferson Blvd., Culver City, CA 90232
Tel: +1 (800) 421-0668 or +1 (310) 837-6500
Fax: +1 (310) 837-9563
Email: sales@moldex.com www.moldex.com

**CANADIAN CUSTOMER SERVICE**
Tel: +1 (800) 421-0668, Ext. 517
Fax: +1 (310) 837-9563