



Contractor Power Cords

Yellow Jacket® Power Cords

- Woods exclusive Yellow Jacket® compound is **more flexible and abrasion resistant at any temperature** than standard vinyl compounds. *(Don't confuse Woods unique high-gloss super flexible Yellow Jacket® wire with yellow cords made of regular SJTW or SJEOW wire types.)*
- Yellow Jacket® cords are three times as abrasion resistant as standard vinyl, making these cords the toughest on the jobsite.
- PowerLite™ indicator plug glows when the cord has power.
- Extra heavy, clear molded plugs are rugged, durable and oversized.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
2886	14/3	SJTW	25'	Yellow	15A	12
2887	14/3	SJTW	50'	Yellow	15A	6
2888	14/3	SJTW	100'	Yellow	13A	3
2883	12/3	SJTW	25'	Yellow	15A	6
2884	12/3	SJTW	50'	Yellow	15A	4

Individually packaged in easy-to-carry corrugated display box.

2885	12/3	SJTW	100'	Yellow	15A	2
2805	10/3	SJTW	50'	Yellow	15A	2
2806	10/3	SJTW	100'	Yellow	15A	2

UL Listed.



**Guaranteed For Life — Tough,
Super Flexible Power Cords
for the Jobsite.**

Yellow Jacket® with LockJaw® Locking Plugs

- Woods patented LockJaw® Locking Plug keeps tools plugged in, eliminating the frustration of tools coming unplugged.
- LockJaw® Locking Plug works with any tool.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
82734	14/3	SJTW	50'	Yellow	15A	7
2737	12/3	SJTW	50'	Yellow	15A	4
2738	12/3	SJTW	100'	Yellow	15A	2

UL Listed.

Yellow Jacket® Power Cords with T-Blade

- 20 amp power cord.
- T-Blade female plug accepts tools with 15 amp and 20 amp plugs.
- No need for two cords with different female plug configurations.
- Individually packaged in easy-to-carry corrugated display box.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
2991	10/3	SJTW	50'	Yellow	20A	2
2992	10/3	SJTW	100'	Yellow	20A	2

UL Listed.

Contractor Power Cords

Yellow Jacket® Power Blocks

- Yellow Jacket® 3-outlet Power Blocks feature exclusive high-gloss, extra durable, super flexible wire.
- Solid, molded power block stands up to heat, cold and rough use on jobsites.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
2827	12/3	SJTW	50'	Yellow	15A	4
2820	12/3	SJTW	100'	Yellow	15A	2

Extra heavy duty 600V insulated wire; solid molded power block.

2882	12/3	STW	2'	Yellow	15A	10
------	------	-----	----	--------	-----	----

UL Listed.



**Guaranteed For Life — Tough,
Super Flexible Power Cords
and Durable Work Lights.**

Yellow Jacket® Twist-To-Lock

- Yellow Jacket® Twist-To-Lock is the best solution for your contractor needs.
- PowerLite™ plug contains a neon bulb that glows when there is power to the female connector. The bulb is rated for 15 years of daily use.
- Heavy duty 300V insulated wire.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
2822	10/3	SJTW	50'	Yellow	20A	2

UL Listed.



◀ 2893

Yellow Jacket® Work Lights with Protective Guard

- Features flexible wire, high heat-resistant bulb collar, grounded metal guard, 13 amp grounded receptacle in handle, and dual hooks.
- Hex shape cage helps direct light where needed. Coated wire cage keeps hot reflector from skin or upholstery.
- 100 Watt Bulb Rating - (120V)

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V OUTLET RATING	STD. PACK
2893	16/3	SJT	25'	Yellow	13A	12
2948	16/3	SJT	50'	Yellow	13A	4

UL Listed.

Contractor Power Cords

Yellow Jacket® with Ground Fault Circuit Interrupters

- Yellow Jacket® GFCI cords have either a male plug or an in-line ground fault circuit interrupter.
- Provides maximum safety. Manual test-reset buttons.
- PowerLite™ plug glows when the cord has power.



82816 ▶

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
Single outlet with right angle male plug.						
2879	14/3	SJTW	6'	Yellow	15A	6
2877	12/3	SJTW	2'	Yellow	15A	10
Lighted 3-outlet power block with right angle male plug.						
2814	12/3	SJTW	2'	Yellow	15A	10
3-outlet black molded power block with right angle male plug. Without PowerLite™.						
2848	12/3	SJTW	2'	Yellow	15A	6
Lighted 3-outlet power block with in-line GFCI.						
82816	12/3	SJTW	2'	Yellow	15A	6
Single outlet in-line GFCI with PowerLite™.						
82817	12/3	SJTW	2'	Yellow	15A	6
GFCI/Surge Plug-In Adapter.						
82762	n/a	n/a	n/a	Black	15A	6

UL Listed.

Yellow Jacket® GFCI Power Stations

- Two and four outlet units available.
- A self-hinged door protects each set of outlets.

2517 ▶



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
Duplex Box—15 AMP.						
2517	12/3	SJTW	6'	Yellow	15A	6
Quad Box—15 AMP.						
2518	12/3	SJTW	6'	Yellow	15A	4
Quad Box—20 AMP.						
2526	12/3	SJTW	6'	Yellow	20A	4

UL Listed.

IllWoods®



Guaranteed For Life.

Contractor Power Cords

Yellow Jacket® Generator Cords

- Yellow Jacket® Generator Cords are the best solution for your temporary power needs.
- The Twist-To-Lock feature ensures a locked connection.
- Designed for use with power distribution boxes.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125/250V RATING	STD. PACK
20 AMP power cord with Twist-To-Lock male and female plugs.						
1381	10/4	STW	25'	Yellow	20A	2

30 AMP power cord with Twist-To-Lock male and female plugs.						
1493	10/4	STW	25'	Yellow	30A	2

UL Listed.

Yellow Jacket® Fluorescent Lights

- Yellow Jacket® Fluorescent Lights are designed for the garage or jobsite.
- Fluorescent bulbs are cool-burning and long lasting. Bulb included.



838067 ▲

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
Features easy-to-change 13 watt bulbs and a ballast in the handle.						
838067	16/3	SJT	15'	Yellow	13W	6
838046	18/2	SVT	15'	Yellow	13W	6

15 watt bulb, designed to hang over workbench or project area.						
38069	18/2	SJT	25'	Yellow	15W	6

UL Listed.

Yellow Jacket® Halogen Light

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	BULB RATING	STD. PACK
Halogen with gooseneck and clamp.						
2317	18/2	SVT	2'	Black	35W	4

UL Listed.



2317 ▶

Contractor Multi-Outlets

Yellow Jacket® Surge Protector

- Metal housing provides durability.
- Extra long, 15 ft. high visibility cord.



5138 ▲

CAT NO.	OUTLETS	DESCRIPTION	UL CLAMPING VOLTAGE@ 500 AMPS	JOULES	CORD LENGTH	COLOR	LIFETIME YELLOW JACKET® GUARANTEE	STD. PACK
5138	6	Metal Surge Protector Strip with Circuit Breaker	330V	1050	15'	Yellow	Yes	4

UL Listed.



5140 ▲



5238 ▲

Yellow Jacket® Power Strips

CAT NO.	OUTLETS	DESCRIPTION	CORD LENGTH	COLOR	LIFETIME YELLOW JACKET® GUARANTEE	STD. PACK
5139	6	Metal Power Strip	6'	Yellow	Yes	4
5140	8	Metal Power Block	6'	Yellow	Yes	2
5238	6	Metal Power Strip with Cell Phone Charger (6V, 12W Receptacle)	6'	Yellow	Yes	4
5239	5	Metal Power Strip with Protective Silicone Cover	NA	Yellow	Yes	4

UL Listed.

Yellow Jacket® Adapters

- Yellow Jacket® 5-outlet adapter converts a single outlet into 5 grounded outlets.
- Industry's only outdoor rated adapter. For use on construction sites or for the DIYer's outdoor projects.
- Features two cord locks to secure cords.



827362 ▲

CAT NO.	CONDUCTOR	TYPE	DESCRIPTION	COLOR	125V RATING	STD. PACK	PKG.
997362	3	5-Outlet	Grounded	Yellow	15A	5	Bulk
827362	3	5-Outlet	Grounded	Yellow	15A	6	Blister Card

UL Listed.

ACDelco™ Pro Series Retractable Cord Reels

- Products designed for the garage and workshop pro.
- Retractable Cord Reels with red metal housing.
- Includes mounting hardware integrated into the base.



CAT NO.	GAUGE/COND. WIRE TYPE	CORD LENGTH	COLOR	125V OUTLET RATING	120V BULB RATING	STD. PACK
Red, Metal Retractable Cord Reel with flexible SJT cord and drop light.						
28000	16/3, SJT	40'	Red	10A	75W	3
Red, Metal Retractable Cord Reel with the convenience of a 3-Outlet banana plug.						
28001	14/3, SJT	30'	Red	13A	n/a	3
Red, Metal Retractable Cord Reel with flexible SJT cord and cool-burning 13 watt fluorescent light. New flashlight type end (ballast in handle with outlet).						
28002	16/3, SJT	40'	Red	10A	13W	3
Red, Metal Retractable Cord Reel with Patented Locking Plug allows for easy switchover of accessories.						
28003	16/3, SJT	30'	Red	10A	n/a	3
28004	14/3, SJT	30'	Red	13A	n/a	3

UL Listed.

ACDelco™ DIY Series Retractable Cord Reels

- Retractable Cord Reels include flexible SVT cord and black, plastic housing.
- Includes mounting hardware integrated into the base.



CAT NO.	GAUGE/COND. WIRE TYPE	CORD LENGTH	COLOR	125V OUTLET RATING	120V BULB RATING	STD. PACK
Retractable Cord Reel and Drop Light with outlet, a circuit breaker and metal cage.						
28020	18/3, SVT	20'	Black	7A	75W	3
Retractable Cord Reel and Fluorescent Light with flashlight type end (ballast on plug).						
28021	18/2, SVT	20'	Black	7A	13W	3
Retractable Cord Reel with single plug.						
28022	18/3, SVT	20'	Black	7A	n/a	3

UL Listed.

ACDelco™ Accessories




▲ 828043

- Mix and match cord reel attachments.

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	COLOR	125V OUTLET/BULB RATING	STD. PACK
Cool burning fluorescent light with new flashlight type end (ballast in handle with outlet).						
828043	16/3	SJT	2'	Red	13A/13W	6
Cool burning fluorescent light with new flashlight type end (ballast in handle).						
828044	18/2	SVT	18"	Red	10A/13W	6

UL Listed.



▼ 28068

ACDelco™ Fluorescent Lights

- Cool burning fluorescent light features full length reflector for more light over the workbench or engine.

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	COLOR	125V OUTLET/BULB RATING	STD. PACK
Cool burning fluorescent light (no switch). 13 watts.						
828045	18/2	SVT	6'	Red	n/a/13W	6
Cool burning fluorescent light with ballast and outlet in handle and flashlight type endcap.						
828069	16/3	SJT	6'	Red	13A/13W	6
828067	16/3	SJT	25'	Red	13A/13W	6
Cool burning fluorescent light with ballast in handle and flashlight type endcap.						
828066	18/2	SVT	20'	Red	n/a/13W	6
Full length reflector for more light over the workbench or engine. Not available with flashlight endcap. F15 T8 bulb.						
28068	18/2	SJT	25'	Red	n/a/15W	4

UL Listed.

Power Cords

ACDelco™ Oil-Resistant Power Cords

- Oil-resistant cords resist oil and chemicals. Perfect for use in the garage or workshop.
- Oil-resistant cords stay flexible and durable even in oily environments.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
828088	14/3	SJTOW	40'	Black	15A	4

Power block with three convenient outlets.

828085	12/3	STOW	2'	Black	15A	8
828087	14/3	SJTOW	25'	Black	15A	6

UL Listed.

ACDelco™ Drop Lights

- Quality Drop Lights for safety on the road or in the garage.
- Drop Lights feature Woods' unique patented DUAL HOOK SYSTEM which permits hanging the light by either its guard or handle.

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V OUTLET/ 120V BULB RATING	STD. PACK
Keep this drop light in your trunk for emergencies. Low-voltage, clips to your car battery. Not UL listed.						
828115	18/2	SPT-2	20'	Black	12VDC/50W	6
Drop light with 360° coated wire cage for increased safety. The oil-resistant cord is perfect for the auto mechanic's garage. 100 watt bulb rating with outlet.						
828135	16/3	SJTOW	25'	Black	13A/100W	6
Plastic guard with switch. No outlet.						
828136	18/2	SJTW	25'	Black	n/a/75W	6
Metal grounded guard with switch and grounded outlet.						
828130	16/3	SJTW	25'	Black	13A/100W	8
828131	18/3	SJTW	25'	Black	10A/100W	8

UL Listed.



Work Lights

ACDelco™ Clamp Lamps

- Quality Clamp Lamps have many uses on the job.
- All lamps are made with tough, heat-resistant sockets in accordance with UL requirements.

CAT NO.	GAUGE/COND. WIRE TYPE	REFLECTOR DIAMETER	CORD LENGTH	CORD COLOR	BULB RATING	STD. PACK
828147	18/2, SPT-2	n/a	6'	White	150W	4

With bulb protector, sturdy anodized wire construction. Porcelain socket.

UL Listed.



828147 ▶

ACDelco™ Booster Cables

- Cable jackets are made of TPE compound which provides superior flexibility and a longer life.
- All cables meet SAE (Society of Automotive Engineers) requirements and contain 100% copper conductors.

CAT NO.	GAUGE	COMPOUND TYPE	CORD LENGTH	CORD COLOR	CLAMP AMPERAGE	STD. PACK
Parrot Jaw. Boxed.						
28089	2	TPE	25'	Black	500	2
Extended Jaw. Bonus carry bag included. Boxed.						
28090	4	TPE	16'	Black/Yellow	450	4
28091	4	TPE	20'	Black/Yellow	450	4
28093	6	TPE	12'	Black/Orange	450	6
28094	6	TPE	16'	Black/Orange	450	6
Standard Jaw. Sleeved.						
28095	8	TPE	12'	Black/Blue	400	10
28097	10	TPE	12'	Black/Red	200	10
Replacement Clamp, Standard Jaw. Poly Bag.						
28102				Black/Red	200	4
Replacement Clamp, Standard Jaw. Poly Bag.						
28103				Black/Red	450	4
Replacement Clamp, Standard Jaw. Poly Bag.						
28104				Black/Red	500	4



Booster Cables



▲ 28089



▲ 28091



▲ 28094



▲ 28095



▲ 28097



**Built for the Tradesman;
Meets OSHA Jobsite Requirements.**

Power Cords for the Jobsite

Oil-Resistant Power Cords

- Whether working on the farm, in an industrial plant or in a garage, Tradesman® Oil and Chemical-Resistant Cords are designed to handle the elements.
- Oil-Resistant Cords resist the absorption of oil, which can cause the cord to become brittle and swell.
- Cords include PowerLite™ indicator on female plug.
- Features new cord clips on plug ends.



▲ 832472

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
832472	12/3	SJTOW	15'	Black	15A	4
3-outlet power block.						
832462	14/3	SJTOW	25'	Black	15A	5

UL Listed.

Striped Round Vinyl Power Cords

- Increases safety and deters theft.
- These striped cords are perfect for the jobsite.
- Cords include PowerLite™ indicator on female plug.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
8832496	14/3	SJTW	25'	Yellow/Black	15A	6
8832497	14/3	SJTW	50'	Yellow/Black	15A	4
8832498	14/3	SJTW	100'	Yellow/Black	13A	2
8832486	12/3	SJTW	25'	Yellow/Blue	15A	6
8832487	12/3	SJTW	50'	Yellow/Blue	15A	4
8832488	12/3	SJTW	100'	Yellow/Blue	15A	2

UL Listed.

Power Blocks and Strips

Tradesman® Power Strips

- Safety features and added room for transformer plugs make these durable power strips ideal for the jobsite.
- All products with 14 gauge cords are rated 15 Amps, 125 Volts, 1875 Watts.
- Products are indoor rated.

CAT NO.	COND.	OUTLETS	CORD DESCRIPTION	LENGTH	COLOR	STD. PACK
37412	3	6	Metal Power Strip with Cord Management	6'	Yellow	4
37417	3	8	Metal Power Block with Cord Management	6'	Yellow	4
837411	3	6	Tough Strip, Metal	4'	Black	3
837408	3	6	Transformer Deck, Plastic	4'	Black	3
832177	3	4	Metal Power Block	4'	Black	4

UL Listed.



837408 ▲



37412 ▲



37417 ▲



832177 ▲



837411 ▲

Tradesman® Lighted Plugs

- Bulb inside plug shows that the power is on.
- Plug into any 3-conductor extension cord.
- Ideal for quick visual check.



4325C ▲



4327C ▲

CAT NO.	COND.	OUTLETS	DESCRIPTION	COLOR	STD. PACK
4325C	3	1	Lighted Tap, Vinyl	Clear	6
4327C	3	3	Lighted Tap, Vinyl	Clear	4

UL Listed.

Woods®

Cord Reels and Power Blocks

Woods® Cord Reels

- Both metal and plastic retractable cord reels are now available in the Woods brand.
- These cord reels include a special base that allows the reel to be portable and sit on flat surfaces or hang from the garage ceiling.



48005 ▶

CAT. NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V OUTLET/ 120V BULB RATING	STD. PACK
Black Plastic, Retractable Cord Reel with Drop Light.						
48005	18/3	SVT	20'	Black	7A/75W	3
Red Metal, Retractable Cord Reel with 3-Outlet Power Block.						
48006	14/3	SJT	30'	Black	13A/n/a	3
Black Plastic, Retractable Cord Reel with Fluorescent Light.						
48021	18/2	SVT	20'	Black	n/a/13W	3
Red Metal, Retractable Cord Reel with Drop Light.						
48023	16/3	SJT	30'	Black	10A/75W	3

UL Listed.

3-Outlet Power Blocks

- Power Blocks are made with solid molded 3-outlet plugs.
- Convenient 3-outlet fitting saves the cost and clutter of running two or three cords for tools and appliances around the home or jobsite.
- Wire is rated at 300 volts.

CAT. NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
8825	14/3	SJTW	25'	Orange	15A	12
8826	14/3	SJTW	50'	Orange	15A	7
8827	14/3	SJTW	100'	Orange	13A	3
8819	12/3	SJTW	50'	Orange	15A	6
8820	12/3	SJTW	100'	Orange	15A	3
3-conductor, extra heavy duty 600V insulated wire.						
0824	12/3	STW	2'	Orange	15A	10
Super heavy duty 10 gauge wire.						
4027	10/3	SJTW	25'	Yellow	15A	4
4028	10/3	SJTW	50'	Yellow	15A	2
4029	10/3	SJTW	100'	Yellow	15A	2

UL Listed.



Woods®

Indoor Cords

Home Design Slimline® Household Extension Cords

- Woods Home Design program offers indoor extension cords with problem solving designs, decorator colors and designer packaging. This program provides many indoor cord space-saving and safety solutions.
- Thin male plug keeps cord close to the wall. Allows user to safely place furniture against the baseboard.
- Plug does not block other outlet.



82235 ▲

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
82235	16/2	SPT-2	3'	White	13A	18
82236	16/2	SPT-2	7'	White	13A	18
82237	16/2	SPT-2	13'	White	13A	18
82239	16/2	SPT-2	7'	Beige	13A	18
82240	16/2	SPT-2	13'	Beige	13A	18
82241	16/3	SPT-2	8'	White	13A	8
2232	16/3	SPT-2	13'	White	13A	6
82243	16/3	SPT-2	8'	Black	13A	8
2254	16/3	SPT-2	8'	Beige	13A	6
2255	16/3	SPT-2	13'	Beige	13A	6

UL Listed.

Ergonomic Indoor Power Cords

- Features two convenient outlets with slide covers.
- Oversized plug with soft gripping surface.
- Comfortable and easy to grasp.
- Flexible SVT wire lays flat along any wall.
- Neutral colors blend in with home decor.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
5072	16/2	SVT	10'	White	13A	4
5073	16/2	SVT	20'	White	13A	4
5075	16/3	SVT	10'	White	13A	4
5076	16/3	SVT	20'	White	13A	4

UL Listed.

Household Appliance Cords

- Woods assortment of Household Appliance Cords includes the most popular cords for vacuum cleaners, irons and other small electrical appliances.
- With a range of plug configurations.

CAT NO.	GAUGE/ COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
---------	--------------	-----------	-------------	------------	-------------	-----------

Finely stranded, very flexible cord. For use with polarized vacuum cleaners, office equipment, floor polishers, etc.

0547	16/2	SVT	20'	Gray	13A	6
------	------	-----	-----	------	-----	---



0547 ▲

Slotted miniature plug fits electric coffee makers, fry pans and other small kitchen appliances with 1/2" spacing between contacts.

0293	18/2	HPN	2'	Black	10A	10
0294	18/2	HPN	6'	Black	10A	10

Fits all standard brand roasters, broilers and deep fryers using pin spacing of 1-11/16".

0290	16/2	HPN	6'	Black	15A	10
------	------	-----	----	-------	-----	----



0293 ▲

Fits all kitchen appliances using 11/16" spacing between contacts such as waffle irons, grills and bottle warmers.

0291	18/2	HPN	6'	Black	10A	10
------	------	-----	----	-------	-----	----

For use with pin-type construction such as mixers, electric knives, warming trays and calculators using 5/16" spacing between contacts.

0295	18/2	SPT-2	6'	Brown	7A	10
------	------	-------	----	-------	----	----

Polarized for heat-producing appliances.

0292	16/2	HPN	6'	Black	15A	10
------	------	-----	----	-------	-----	----

Replacement cord for non-polarized irons and appliances.

0288	16/2	HPN	7'	Black	15A	10
------	------	-----	----	-------	-----	----

UL Listed.



0295 ▲



0290 ▲

Replacement Cords

Power Supply Replacement Cords

- Woods Replacement Cords are designed for easy use on appliances, power tools, lamps, water coolers, air conditioners, dryers, ranges and garbage disposals.
- Includes instructions for replacing worn or damaged cords.

CAT NO.	GAUGE/ COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
---------	--------------	-----------	-------------	------------	-------------	-----------

Range, 3-Conductor with strain relief.

0984	6/2 and 8/1	SRDT	4'	Gray	50A	6
0985	6/2 and 8/1	SRDT	5'	Gray	50A	6
0986	6/2 and 8/1	SRDT	6'	Gray	50A	6

Range, 4-Conductor with strain relief.

8761	6/2 and 8/2	SRDT	4'	Black	50A	15
0762	6/2 and 8/2	SRDT	6'	Black	50A	6

Dryer, 3-Conductor with strain relief.

0974	10/3	SRDT	4'	Gray	30A	6
0975	10/3	SRDT	5'	Gray	30A	6
0976	10/3	SRDT	6'	Gray	30A	6

Dryer, 4-Conductor with strain relief.

8768	10/4	SRDT	4'	Black	30A	15
88769	10/4	SRDT	6'	Black	30A	5

General Purpose.

88570	16/3	SPT-3	3'	Gray	13A	20
88573	16/3	SPT-3	6'	Gray	13A	25

Power Tool and Appliance. Vinyl for power tools or appliances. Tool end slit 1-1/4", insulation stripped 3/8".

88588	16/2	SJTW	8'	Black	13A	10
88589	16/3	SJTW	8'	Black	13A	10

Power Tool and Appliance. More flexible and durable in very cold and hot environments. TPE jacket.

8951	16/3	SJEW	10'	Black	13A	15
9953	14/3	SJEW	10'	Black	15A	10

UL Listed.



8768 ▲



88588 ▲



8951 ▲

Woods®

Cord Management

Cord Management


- This program features an assortment of products from traditional cord caddies to the latest design in cord locks.
- Customers will find the right products in colorful, descriptive packaging.

CAT NO.	DESCRIPTION	COLOR	PACKAGE	STD. PACK
2801	PowerCaddy+ 25' 16/3 extension cord, grounded outlets, 10 Amp circuit breaker, convenient slotted holes on the bottom for wall hanging.	Black/Yellow	Hang Tag	3
2849	Detachable Cord Reel with Stand 13" reel, easy-release lock allows the cord reel to separate from the stand.	Black/Yellow	Hang Tag	3
2870	Cord Reel 13" reel holds 150' of 16/3 extension cord.	Black/Yellow	Hang Tag	3
2802	Carry Strap One-piece construction, holds up to 150' of 16/3 cord.	Black	Carded	12
2803	Cord Caddy Built-in carry handle, rugged one-piece construction.	Black	Carded	12
2804	Twin Cleat Cord Lock Tough and durable with no loose parts, no screws or adjustments, works with 16 and 14 gauge cords. The only UL approved cord lock. Doesn't put strain on plug.	Yellow	Carded	12



Cord Wiz®

- Stores cords neatly and conveniently.
- Provides ergonomic features for easy handling and use.
- Pro model rotates for easy, automatic unwinding.



CAT NO.	DESCRIPTION	COLOR	PACKAGE	STD. PACK
3202	Cord Wiz® unit holds 150' of 16/3 extension cord, comfortable handle.	Yellow	Sleeve	10
3203	Cord Wiz® Pro unit holds 200' of 16/3 extension cord, comfortable handle.	Yellow	Sleeve	6

Work Lights-Round Vinyl

- All Work Lights feature Woods' unique patented DUAL HOOK SYSTEM which permits hanging the work light by either its guard or handle.
- Rugged, heat-resistant housing stays cool even with short neck bulbs.
- The round orange vinyl jacket is flexible, easy to see and won't mark floors or walls.

CAT NO.	GAUGE/COND. WIRE TYPE	CORD LENGTH	CORD COLOR	BULB RATING	125V OUTLET RATING	STD. PACK
---------	-----------------------	-------------	------------	-------------	--------------------	-----------

Plastic guard with switch, no outlet.

0200	18/2, SJT	15'	Orange	75W	n/a	12
0201	18/2, SJT	25'	Orange	75W	n/a	12


Metal grounded guard with switch and grounded outlet.

0681	18/3, SJT	25'	Orange	100W	10A	12
0682	18/3, SJT	50'	Orange	100W	10A	6
0691	16/3, SJT	25'	Orange	100W	13A	12
0692	16/3, SJT	50'	Orange	100W	13A	6

Super flexible wire, high heat-resistant bulb collar. Switch and grounded outlet.

2893	16/3, SJT	25'	Yellow	100W	13A	12
2948	16/3, SJT	50'	Yellow	100W	13A	4

UL Listed.



Flood and Clamp Lamps

- Many uses around the home, office or shop.
- All lamps are made with tough, heat-resistant sockets in accordance with UL requirements.
- Most are made with vented aluminum reflectors, push-through switches and strong double-swivel clamps with vinyl grips.

CAT NO.	GAUGE/COND. WIRE TYPE	CORD LENGTH	CORD COLOR	REFLECTOR DIAMETER	BULB RATING	STD. PACK
---------	-----------------------	-------------	------------	--------------------	-------------	-----------

0160	18/2, SPT-2	6'	White	5 1/2"	60W	12
0151	18/2, SPT-2	6'	White	8 1/2"	150W	12
0162	18/2, SPT-2	6'	White	10"	150W	12

Porcelain socket on clamp, without switch.

0328	18/2, SPT-2	6'	White	n/a	150W	12
------	-------------	----	-------	-----	------	----

With bulb protector, sturdy anodized wire construction. Porcelain socket.

0324	18/2, SPT-2	6'	White	n/a	150W	12
------	-------------	----	-------	-----	------	----

Cold Flex TPE cord stays flexible in cold environments.

8149	18/2, SJEW	15'	Black	8 1/2"	150W	4
------	------------	-----	-------	--------	------	---

Tight Grip® heavy duty clamp with extra holding power. Unique clamp design grips pipe, lumber and more.

82839	18/2, SPT-2	12'	Black	8 1/2"	150W	4
-------	-------------	-----	-------	--------	------	---

UL Listed.



Task Lighting

Brooder and Heat Lamps

- Woods Brooder and Heat Lamps feature insulated porcelain sockets, heavy gauge aluminum reflectors, hang-up hooks and bulb guards that snap on the reflector and 2-conductor, polarized male plugs.
- Ideal for pig and chicken brooders or as a temporary heat source.

CAT NO.	GAUGE/COND. WIRE TYPE	CORD LENGTH	CORD COLOR	REFLECTOR DIAMETER	BULB RATING	STD. PACK
0163	18/2, SJTW	8'	Black	10 1/2"	250W	6

Same as above, but with a sturdy clamp with vinyl coated grips.

0167	18/2, SJTW	8'	Black	10 1/2"	250W	6
------	------------	----	-------	---------	------	---

Durable vinyl cord.

0165	18/2, SJTW	6'	Black	10 1/2"	250W	12
------	------------	----	-------	---------	------	----

Same as above, but with a sturdy clamp with vinyl coated grips.

0166	18/2, SJTW	6'	Black	10 1/2"	250W	12
------	------------	----	-------	---------	------	----

Not UL Listed.



0167 ▶

Halogen Lights

- Both hand-carry and tripod stand available.
- Bright, 500 watt halogen work lights.

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	BULB RATING	STD. PACK
---------	-------------	-----------	-------------	------------	-------------	-----------

Portable 500 watt "S" handle.

27000	18/3	SJTW	5'	Black	500W	6
-------	------	------	----	-------	------	---

Single light with tripod stand.

27001	18/3	SJTW	5'	Black	500W	2
-------	------	------	----	-------	------	---

Dual light with tripod stand.


27002	18/3	SJTW	5'	Black	500W	2
-------	------	------	----	-------	------	---

Replacement bulbs-3 pack.

3501	n/a	n/a	n/a	n/a	500W	12
------	-----	-----	-----	-----	------	----

UL Listed.

27002 ▼



Temporary Light Strings

CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	BULB RATING	STD. PACK
---------	-------------	-----------	-------------	------------	-------------	-----------

Quality Temporary Light Strings are constructed with molded lamp sockets and non-metallic lamp guards.

2480	12/3	STW	50'	Yellow	200W	1
------	------	-----	-----	--------	------	---

2481	12/3	STW	100'	Yellow	200W	1
------	------	-----	------	--------	------	---

2484	12/3	STW	Twist-To-Lock 50'	Yellow	200W	1
------	------	-----	----------------------	--------	------	---

2485	12/3	STW	Twist-To-Lock 100'	Yellow	200W	1
------	------	-----	-----------------------	--------	------	---

2483	14/2	SJTW	100'	Yellow	150W	1
------	------	------	------	--------	------	---

UL Listed.

RV Cords

- Supply power to recreational vehicles.
- Heavy-duty 10 gauge cords provide 30 amps to RVs.



CAT NO.	GAUGE/COND.	WIRE TYPE	CORD LENGTH	CORD COLOR	125V RATING	STD. PACK
RV Power Cord.						
3070	10/3	STW	30'	Black	30A	2
3071	10/3	STW	50'	Black	30A	2
RV Power Supply Cord, Male Plug Only.						
3072	10/3	STW	30'	Black	30A	2

UL Listed.

RV Adapter

- Converts 30A male to 15A male.

CAT NO.	CONDUCTOR	COLOR	125V RATING	STD. PACK
3073	3	Black	15A	10



Repair Parts and Push Lights

Repair Parts

- Woods Repair Parts for work lights and clamp lamps.
- All items packaged in bulk.

CAT NO.	DESCRIPTION	RATING	STD. PACK
Work Light Parts.			
0336	Handle, 3-Conductor with Switch and Outlet	n/a	10
0309	Metal Swing Open Guard	n/a	10
Clamp Lamp and Brooder Light Socket.			
0110	Porcelain Socket	660W	20

Not UL Listed.




0336 ▶

Battery Operated Lighting

- Woods Battery Operated Lights offer security, safety and convenience throughout the home, garage or in closets.

CAT #	DESCRIPTION	RATING	COLOR	STD. PACK
2009	6 Watt Fluorescent Light with Pull Chain Uses 4 "D" batteries.	4-D Cells	White	6
2018	Incandescent Light with On/Off Push Pad Uses 4 "AA" batteries.	4-AA Cells	White	6
20181	Incandescent Light with On/Off Push Pad Uses 4 "AA" batteries.	4-AA Cells	Blueberry	6
20182	Incandescent Light with On/Off Push Pad Uses 4 "AA" batteries.	4-AA Cells	Green Apple	6
20183	Incandescent Light with On/Off Push Pad Uses 4 "AA" batteries.	4-AA Cells	Grape	6
2012	Incandescent Light with On/Off Switch Uses 3 "AA" batteries. Twin Pack.	3-AA Cells	White	6
2013	Incandescent Light with Pull Chain Uses 2 "D" batteries.	2-D Cells	Beige	6

2009 ▼



2018 ▼



Woods®